xiidra®
Lifitegrast
ophthalmic solution 5%

PrXIIDRA® IINSIDER™ PROGRAM & PATIIENT BROCHURE

XIIDRA® is a prescription eye drop to treat the signs and symptoms of your dry eyes.

This is your guide to getting started with XIIDRA®, and the XIIDRA® **financial assistance program**.

BAUSCH + LOMB

Have a look iinside

What is XIIDRA® Used For?.....3

XIIDRA® iinsider™ Program.....4-5

Taking XIIDRA®.....6-7

How to Use XIIDRA®.....8-10

Important Safety Information.....11

XIIDRA® iinsider™ Program Quick Access.....12




What is XIIDRA® used for?

XIIDRA® is an eye drop used to treat the signs and symptoms of dry eyes. XIIDRA® works by blocking the interaction between two types of proteins that can cause inflammation in Dry Eye Disease.

Common symptoms of Dry Eye Disease:



Dryness



Grittiness



Stinging




Occasional Blurry Vision



Burning



Irritation and Discomfort



Eye Fatigue



Tearing

Xiidra®
Lifitegrast
ophthalmic solution 5%

Get started on the XIIDRA® iinsider™ program



Save up to **$120 off** each box of XIIDRA®.*

Details at: myrx.care/en/bausch-lomb

* Where applicable, the XIIDRA® iinsider™ program can be used in combination with your existing private insurance plan. The XIIDRA® iinsider™ program offer is subject to change or discontinuation by Bausch + Lomb without notice.

Visit **www.xiidra.ca** for the latest offer details.

3 SIIMPLE STEPS

Enrol in the XIIDRA® iinsider™ program:

1

1. Sign up online

- Go to **myrx.care/en/bausch-lomb**
- Enter access code "**XIIDRA**"
- Complete the registration details

2

2. Get your Member ID

- Your **unique Member ID** will be generated instantly
- Write it below to keep in wallet, print or screenshot it for easy access

3

3. Show your pharmacist

- Bring your **Member ID** to the pharmacy to receive your savings

XIIDRA® iinsider™ financial assistance program Member ID

After signing up for the iinsider™ program, write your Member ID here and show your pharmacist:

Member ID: _____

Bring this card with you to the pharmacy.

REVIEWED BY PAAB

Taking XIIDRA®

With XIIDRA®, some patients may experience improvements in eye dryness symptoms in as early as 2 weeks.



HELPFUL TIIP!

It's important to use your XIIDRA® drops every day.

Try using them right before brushing your teeth, morning and night. This can help you remember and may also reduce any unpleasant taste.

Dose



Twice a day, every day.

Apply one drop of XIIDRA® in each eye, twice daily, about 12 hours apart.



Each XIIDRA® container has enough for one dose in both eyes. There may be a little extra solution in case a drop misses your eye.

You'll need two containers per day – one in the morning and one at night.



Use right after opening, then discard the container and any unused solution. Do not save it for later.

Contact Lenses

Remove them before using XIIDRA®, then wait at least 15 minutes before placing them back in your eyes.

Missed Dose

If you miss a dose, take it as soon as you remember. If it's almost time for your next dose, skip the missed dose and continue with your scheduled dose.

Please see page 11 for important safety information

How to use XIIDRA




Getting Ready

Before you use XIIDRA®, be sure to wash your hands, and if you wear contact lenses, take them out. You can put your lenses back in 15 minutes after you use XIIDRA®.


01. Take one container from pouch

- Take a foil pouch out of the XIIDRA® box
- Open the pouch and remove the strip of single-use containers
- Pull off 1 container from the strip




02. Save other containers for later

- Put the remaining strip of containers back in the pouch
- Then fold the edge to close the pouch




03. Tap the container

- Hold the container upright
- Tap the top of the container until all of the solution is in the bottom part of the container



04. Twist top to open

- Twist off the tab to open the container
- Make sure that the tip of the single-use container does not touch anything – this is to help stop contamination



05. Tilt your head back, and pull your eyelid down

- Tilt your head backwards
- If you are not able to tilt your head, lie down
- Gently pull your lower eyelid downwards – then look up



06. Gently squeeze one drop

- Place the tip of the container close to your eye – but be careful not to touch your eye with it
- Gently squeeze the container
- Let 1 drop fall into the space between your lower eyelid and your eye
- If a drop misses your eye, try again




07. Repeat on your other eye

- Repeat steps 5 & 6 for your other eye
- There is enough XIIDRA® in one container for both eyes




08. Finish up

- After you have applied a drop to both eyes, throw away the opened container, including any remaining solution
- If you use contact lenses, wait for at least 15 minutes before placing them back in your eyes



09. You did it

- Repeat steps 1 – 8 about 12 hours after first drop of XIIDRA® for that day (Use 1 drop of XIIDRA® in each eye, twice a day, about 12 hours apart)



Important safety information about XIIDRA®

Talk to your eye doctor or other healthcare provider

Discuss any health conditions you may have, including if you are:

- Pregnant or plan to become pregnant
- Breastfeeding or plan to breastfeed

Other warnings you should know about:

- XIIDRA® may cause your vision to blur temporarily when you put the drops in. If you experience blurred vision, wait until your vision clears before you try to drive or operate a machine.

Possible side effects of XIIDRA®

The most common side effects are:

- Eye irritation, eye pain, and/or eye reaction, when drops are applied to the eyes
- Unpleasant taste

Other common side effects are:

- Blurred vision
- Itchy eyes
- Eye redness
- Increase in tears
- Headache
- Sensitivity to light

Stop taking XIIDRA® and seek medical care right away if you experience symptoms of an allergic reaction such as:

- Difficulty breathing or swallowing
- Swelling of tongue, lips and face
- Skin rash, itching and hives

If you have a troublesome symptom or side effect that is not listed here or becomes bad enough to interfere with your daily activities, talk to your healthcare professional.

If you want more information about XIIDRA®:

- Talk to your healthcare professional
- See the **Patient Medication Information** included with each box of XIIDRA®

xiidra®
Lifitegrast
ophthalmic solution 5%

Get Started on the XIIDRA® iinsider™ Program

Save up to $120 off each box of XIIDRA®

Visit
myrx.care/en/bausch-lomb

OR

Scan the **QR Code**

Please enter the word **"XIIDRA"** as the access code at step 1 of the sign up page.

If you have partial private health coverage you are still eligible for this patient support program. Ask your pharmacist for guidance.

Get a **FREE** bottle of Soothe® PF Dry Eye Therapy Eye Drops with your next month's supply of XIIDRA®!

Soothe® Preservative Free Dry Eye Therapy Eye Drops may not be right for you. Always read and follow the label.

Details at: **myrx.care/en/bausch-lomb**

BAUSCH + LOMB

Bausch + Lomb Corporation
520 Applewood Crescent
Vaughan, ON, L4K 4B4
www.bausch.ca
T: 1-888-459-5000

XDR.0008.CA.24-EN
XIIDRA® is a registered trademark of Bausch + Lomb.
© 2026 Bausch + Lomb Corporation. All rights reserved.

REVIEWED BY PAAB